

运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

			锂-二氧化锰电池 CR2032 3.0	OV 220mAh		
样品	名称	中文 Chinese				
	Name		Lithium manganese dioxide battery CR2032 3.0V 220mAh			
		英文	Lithium manganese dioxide	Dattery CK2052 5.0V 220MAn		
		English				
		单位	宜昌力佳科技有限公司			
		icant	YICHANG POWER GLORY TECHNOLOGY CO., LTD			
生产单位 Manufacturer 检验方法、程序		5 - 9053	宜昌力佳科技有限公司 YICHANG POWER GLORY TECHNOLOGY CO., LTD 国际海事组织《国际海运危险货物规则》(2022版)			
		od and procedure	IMO International Maritim	e Dangerous Goods Code (2022 Ed	ition)	
	样品	外观	银色钮扣状金属外壳	1		
Sample appearance			Silvery Button metal shel	1		
Dag		牛信息 nformation	重量≪30kg。 weight≪30kg.			
Pac 序号	Laye I	nionnation 电池种类	型号	容量Capacity	放置方式	
NO.		Battery type E电锂金属电池芯	Model CR2032	/健含量Li content 220mAh / ≤0.3g	Placement 电池单独运输	
1	AR ARRAS	y Li-metal cell	CR2032	220mAn / ≈0.3g	电池单强运制 Battery only	
收	钅 上	里金属电池。 .ithium metal ba		SRI	CC I	
鉴定结论	名し、20本工 33 三	里金属电池。 .ithium metal ba 2. 海运按照国际 Code) 根据特殊规定188, The article is n	ttery. 海事组织《国际海运危险 该物品不受IMO IMDG Code其	货物规则》办理的类项(Sugge		

Approver: E 7

đ

5







运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods NO. 212401306253051

Page 2/3

-

1

.

*本書注用所達理心能提供 (目标通道定位的劳动规则) (20226) 2.9.4.5 Mg2(前面常空程体基进行判定, 1 1 1 2022 EDITION 2.9.4.5 1 **基定刊所注理心能已透过成合同《试验和标准手册》第111部分38.3小节相应测试要求。 公案者定刊所注理心能已透过成合同《试验和标准手册》第111部分38.3小节相应测试要求。 公案者定刊所注理心能已透过成合同《试验和标准手册》第111部分38.3小节相应测试要求。 公案者定刊所注理心能已透过成合同《试验和标准手册》第111部分38.3小节相应测试要求。 公案者定刊所注理心能已活动的。 1 **素定刊所注理心能已活动的。 1 **素定刊所注理心能已活动的。 **表定刊所注理心能已活动。 **表定刊所注意 1 **素定刊所注理心能注意 ***或试验》 ***表定 ***表定用所述理论和 ************************************	序号 No.	检验结果及其他事项 Inspection results and other things
包装件能够发觉1.2m%茶试验。 Lithtum cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UX Manual of Fasts and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. UX8.3 JXg&医菊号 The UX8.8.3 Fest Summary No. (s) S120000040525 Please scant the Q Kocke on the right for more information. WtBAPASEAPACAPARA, 0f PSEMPASAPA. Lithtum cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging. UBLAPASEAPACAPARA, 0f PSEMPASAPA. Lithtum cells and batteries are properly protected to prevent short circuits. 4 Preakage shall be asked with the appropriate lithium battery and placed in a strong outer package shall be asked with the appropriate lithium battery mark. 5 Preakage shall be asked with the appropriate lithium battery mark. 6 Packages containing lithium batteries packed in norformity with the provisions of part 4, chapter 11, packing instructions of 968, section 16.0 ct. 11.000 technical. 5 Preakage shall be asked with the appropriate lithium battery mark. 6 // 7 // 7 //	1	Lithium cells and batteries listed in this report were manufactured under the quality management program described in IMDG
3 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging. 3 Use packaging. 4 Use packaging. 4 Second packaging. 4 Package containing in the packaging package	2	包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. UN38.3试验概要编号 The UN38.3 Test Summary No.(s) 812400300045265 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.
Cells and batteries are properly protected to prevent short circuits. 4 每个包装件必须标示恰当的锂电池标记. 装有锂电池的包装件. 符合国际民航组织《危险物品安全航空运输技术细则》第4部分第11章的包装说明965或968第1B部分规定的. 黏贴 5.2.1.10(锂电池标记.和5.2.2.2所示的外型标签,应视为符合本特殊规定188的规定。注:《国际海运危险货物规则》(2020版)5.2.1.10 中显示中晶话号码前面信息的锂电池标记.可继续使用至2026年12月31日。 Each package shall be marked with the appropriate lithium battery mark. Packages containing lithium batteries packed in conformity with the provisions of part 4, chapter 11, packing instructions 965 or 968, section IB of the ICAO Technical Instructions for the Safe Transport of Dangerous Goods by air that bear the mark as shown in 5.2.1.10(lithium battery mark) and the label shown 5.2.2.2, Model No.9A shall be deemed to meet the provisions of their special provision 188. Note: The mark shown in 5.2.1.10(lithium battery mark) of the IMDC CODE 2020 EDITION, showing the telephone number for additional information, may continue to be applied until 31 December 2026. 7 7 7 7	3	Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong
装有锂电池的包装件,符合国际民航组织《危险物品安全航空运输技术细则》第4部分第11章的包装说明965或968第IB部分规定的,黏贴 5.2.1.10(锂电池标记)和5.2.2.2所示的94型标签,应视为符合本特殊规定188的规定。注:《国际海运危险货物规则》(2020版)5.2.1.10 中显示电话号码附加信息的锂电池标记,可继续使用至2026年12月31日。 Each package shall be marked with the appropriate lithium battery mark. Packages containing lithium batteries packed in conformity with the provisions of part 4, chapter 11, packing instructions 965 or 968, section IB of the ICAO Technical Instructions for the Safe Transport of Dangerous Goods by air that bear the mark as shown in 5.2.1.10(lithium battery mark) and the label shown 5.2.2.2, Model No.9A shall be deemed to meet the provisions of this special provision 188. Note: The mark shown in 5.2.1.10(lithium battery mark) of the IMDG CODE 2020 EDITION, showing the telephone number for additional information, may continue to be applied until 31 December 2026. / /	4	
7	5	表有锂电池的包装件,符合国际民航组织《危险物品安全航空运输技术细则》第4部分第11章的包装说明965或968第IB部分规定的, 黏贴 5.2.1.10(锂电池标记)和5.2.2.2所示的9A型标签, 应视为符合本特殊规定188的规定。注:《国际海运危险货物规则》(2020版)5.2.1.10 中显示电话号码附加信息的锂电池标记,可继续使用至2026年12月31日。 Each package shall be marked with the appropriate lithium battery mark. Packages containing lithium batteries packed in conformity with the provisions of part 4, chapter 11, packing instructions 965 or 968, section IB of the ICAO Technical Instructions for the Safe Transport of Dangerous Goods by air that bear the mark as shown in 5.2.1.10(lithium battery mark) and the label shown 5.2.2.2, Model No.9A shall be deemed to meet the provisions of this special provision 188. Note: The mark shown in 5.2.1.10(lithium battery mark) of the IMDG CODE 2020 EDITION, showing
	6	
-验证码:226997-	7	
		-验证码:226997-

运输危险性鉴定书 Hazard Classification and Identification Report for Transport of Goods

P.

NO. 212401306253051 Page 3/3

