

I LED publish content Instructions

Version: V.1.0

Statement

Dear user friend, thanks for choosing SHENZHEN SYSOLUTION TECHNOLOGY CO.,LTD (hereinafter referred to as Sysolution Technology) as your LED advertising equipment control system. The main purpose of this document is to help you quickly understand and use the product. We strive to be precise and reliable when writing the document, and the content may be modified or changed at any time without notice.

Copyright

The copyright of this document belongs to Sysolution Technology. Without the written permission of our company, no unit or individual may copy or extract the content of this article in any form.

Trademark



is a registered trademark of Sysolution Technology.


Update Record

No.	Version	Updates	Revision Date
1	Ver.1.0	Initial Release	2024.07.08

The document is subject to change without prior notice.

1. Connect to device

There are two ways to connect device, one is Bluetooth, another is through WIFI.





Bluetooth connection

Click Refresh button on the right top and select the controller serial ID



WIFI connection

In mobile WIFI list, find the controller serial ID hotspot name, click and connect, default password is 12345678,

If it is iphone, need go to settings-->WIFI



2. Create content


There are Text, Image, DIY, Advanced and settings



(1) **Text**

Simple text program edition including Properties, effects, record.

Can choose font, Left, right, up, and down alignment, background color, and playback duration and the scrolling direction, speed, etc. of text in special effects



(2) Image

Including dynamic, dynamic image materials and sizes, etc., can upload mobile image materials



(3) DIY program

Including DIY images, animations, videos, etc., which can be modified and sent on the original basis.



(4) Advanced program

Add and edit advanced programs, which can achieve the mixing of materials such as pictures and videos to add programs



Program list

Sending successfully will display a record of the program names that have been sent

I LED settings

Language can be set, program and device information can be cleared, updates, version upgrades, network configuration, screen testing, switch and brightness adjustment,

www.ledok.cn

sharing, software version queries, and other operations can be performed.

